



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/758,664	01/15/2004	Fred Messinger	112025-0080C1	5895
24267	7590	08/24/2009	EXAMINER	
CESARI AND MCKENNA, LLP			KE, PENG	
88 BLACK FALCON AVENUE			ART UNIT	
BOSTON, MA 02210			PAPER NUMBER	
			2174	
			MAIL DATE	
			DELIVERY MODE	
			08/24/2009	
			PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/758,664	Applicant(s) MESSINGER ET AL.	
	Examiner SIMON KE	Art Unit 2174	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 July 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1, 4-11, 13-19, 22-29, 31-37, 40-47, 52-54 and 57-60 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1, 4-11, 13-19, 22-29, 31-37, 40-47, 52-54, and 57-60 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2174

DETAILED ACTION

This action is responsive to communications: Amendment, filed on 7/6/09.

Claims 1, 4-11, 13-19, 22-29, 31-37, 40-47, 52-54, and 57-60 are pending in this application. Claims 1, 19, 37, and 57 are independent claims. In the Amendment, filed on 7/6/09 claims 1, 19, 37, and 57 were amended.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 5, 9, 13, 16, 19, 23, 27, 31, 34, 37, 41, 45, 49, and 52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rakoshitz US Patent 6,578,077 in view Battat US Publication 2002/0013837, in view of Manghirmalani US 5,819,028.

As per claim 1, Rakoshitz teaches a method for graphically presenting characteristics of data traffic on a distributed computer network, comprising:

monitoring traffic on said network; (see Rakoshitz ; col. 2, lines 35-65)

selecting a characteristic of said traffic for display; (see Rakoshitz; col. 20, lines 15-30)

obtaining a plurality of values of said characteristic for selected time intervals within a larger time interval; (see Rakoshitz; col. 20, lines 40-65) and

Art Unit: 2174

presenting said characteristic represented as nodes connected by lines, said lines representing traffic flow between nodes, each graphical image graphically representing the value of said characteristic at a particular selected time interval within the larger time interval with and property of at least one line of said lines, said property indicating a value of said characteristic. (see Rakoshitz; col. 20, lines 15-30)

However, Rakoshitz fail to teach playing a rapid succession of graphical images each graphical image in representing said network, and said nodes each representing components in said network that connects nodes representing components.

Battat teaches playing a rapid succession of graphical images each graphical image in representing said network, (see Battat, paragraph 0109-0113) and said nodes each representing components in said network that connects nodes representing components. (see Battat, paragraph 0192)

It would have been obvious to an artisan at the time of the invention to include Battat's teaching with method of Rakoshitz in order provide users with a visualization of the network.

However, they fail to teach wherein a change in a said property of said at least line in successive graphical images indicates a change in the value of said characteristic of said traffic.

Manghirmalani teaches wherein a change in a said property of said at least line in successive graphical images indicates a change in the value of said characteristic of said traffic. (see Manghirmalani, col. 9, lines 5-30)

Art Unit: 2174

It would have been obvious to an artisan at the time of the invention to include Manghirmalani's teaching with method of Rakoshitz and Battat in order provide indication of health of network .

As per claim 5, Rakoshitz, Battat, and Manghirmalani teach the method as in claim 1. The combination of Rakoshitz, Battat, and Manghirmalani further teaches the method comprising: using a color of said at least one line as said property, (see Rakoshitz col. 21, lines 1-20) a change in said color indicating a change in the value of the said characteristic of traffic. (see. Manghirmalani fig. 13-17, items 1320, col. 14, lines 1-20)

As per claim 9, Rakoshitz, Battat, and Manghirmalani teach the method as in claim 1. The combination of Rakoshitz, Battat, and Manghirmalani further teaches further comprising: using a visual characteristic of said at least one line as said property, (see Rakoshitz col. 21, lines 1-20) a change in said visual characteristic indicating a change in the value of the said characteristic of said traffic. (see Manghirmalani, col. 9, lines 5-30)

As per claim 13, Rakoshitz and Battat teach the method as in claim 1. Rakoshitz further teaches comprising:

using a filtering program to select records in network information files that meet selected filtering criteria. (see Rakoshitz, col. 19, lines 55-col. 20, lines 10)

Art Unit: 2174

As per claim 16, Rakoshitz and Battat teach the method as in claim 1. Battat further teaches the method comprising:

displaying a map of the network topology and overlaying the map with said succession of graphical images. . (see Battat, paragraph 0109-0113)

As per claims 19, 23, 27, 31, and 34; claims 37, 41, 45, 49, and 52, they are rejected under the same rationale as claims 1, 5, 9, 13, and 16. Supra.

Claims 4, 6, 22, 24, 40, 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rakoshitz US Patent 6,578,077 in view Battat US Publication 2002/0013837 further in view of Manghirmalani US 5,819,028 in view of Reichert US Patent 5,720,022

As per claim 4, Rakoshitz, Battat, and Manghirmalani teach the method as in claim 1. However they fail to teach further comprising: using a width of said at least one line as said property.

Reichert teaches using a width of at least one line property, a change in said width indicating a change in the value of said characteristic of a said traffic. (see Reichert; col. 1, lines 40-50)

It would have been obvious to an artisan at the time of the invention to include Reichert's teaching with method of Rakoshitz, Battat, and Manghirmalani in order to provide user with a

Art Unit: 2174

plurality of dimensional representation attributes.

As per claim 6, Rakoshitz, Battat, and Manghirmalani teach the method as in claim 1. However they fail to teach using an arrow drawn on said at least one line as said property.

Reichert teaches using a width of at least one line property. (see Reichert; col. 1, lines 40-50)

It would have been obvious to an artisan at the time of the invention to include Reichert's teaching with method of Rakoshitz, Battat, and Manghirmalani in order to provide user with a plurality of dimensional representation attributes.

As per claims 22 and 24; 40 and 42, they are rejected under the same rationale as claim 4 and 6. Supra.

Claims 7, 8, 25, 26, 43 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rakoshitz US Patent 6,578,077 in view Battat US Publication 2002/0013837 further in view of Manghirmalani US 5,819,028 further in view of Tonelli US Patent 5,821,937

As per claim 7, Rakoshitz, Battat, and Manghirmalani teach the method as in claim 1. However they fail to teach using a length of said at least one line as said property.

Tonelli teaches using a length of said at least one line as said property, a change in said arrow indicating a change in the value of said characteristic of said traffic. (see Tonelli figure 21 with "length" setting in figure 7)

Art Unit: 2174

It would have been obvious to an artisan at the time of the invention to include Tonelli's teaching with method of Rakoshitz, Battat, and Manghirmalani in order to provide user with a plurality of dimensional representation attributes.

As per claim 8, Rakoshitz, Battat, and Manghirmalani teach the method as in claim 1. However, they fail to teach using a density of said at least one line as said property.

Tonelli using a density of said at least one line as said property, a change in said density indicating a change in the value of said characteristic of said traffic. (see Tonelli figure 21 with "Line Segments" setting in figure 7)

It would have been obvious to an artisan at the time of the invention to include Tonelli's teaching with method of Rakoshitz, Battat, and Manghirmalani in order to provide user with a plurality of dimensional representation attributes.

As per claims 25 and 26; 43 and 44; they are rejected under the same rationale as claim 7 and 8. Supra.

Claims 10, 11, 28, 29, 46, and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rakoshitz US Patent 6,578,077 in view Battat US Publication 2002/0013837 in view of Manghirmalani US 5,819,028 further in view of Jacoby US Patent 5,768, 552

Art Unit: 2174

As per claim 10, Rakoshitz, Battat, Manghirmalani teach the method as in claim 1.

However, they fail to teach further comprising:

displaying a filtering expression in a graphical user interface;

selecting from said graphical user interface, records from network information files to display said characteristic of said traffic.

Jacoby teaches displaying a filtering expression in a graphical user interface;

selecting from said graphical user interface, records from network information files to display said characteristic of said traffic. (see Jacoby figure 4)

It would have been obvious to an artisan at the time of the invention to include Jacoby's teaching with method of Rakoshitz, Battat, and Manghirmalani in order to provide user with a plurality of interface selections.

As per claim 11, Rakoshitz, Battat, Manghirmalani, and Jacoby teach the method as in claim 10. Jacoby further teaches further comprising:

calculating parameters that are associated with the records selected from network files and storing the parameters in a local file. ("file" option in the control panel in Figure 4 of Jacoby)

As per claims 28 and 29; 46 and 47, they are rejected under the same rationale as claim 10 and 11. Surpa.

Art Unit: 2174

Claims 14, 15, 17, 32, 33, 35, 50, 51, and 53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rakoshitz US Patent 6,578,077 in view Battat US Publication 2002/0013837, Manghirmalani US 5,819,028 further in view of Reps US Patent 6,070,190

As per claim 14, Rakoshitz, Manghirmalani, and Battat teach the method as in claim 13. further comprising: compiling the selected appropriate records from network information files during the selected time intervals, each compiled record meeting at least one selected filtering criterion.

Reps teaches (6,070,190) selecting appropriate records from network information files during the selected time intervals, each compiled record meeting at least one selected filtering criterion. (see col. 14, lines 45-61)

It would have been obvious to an artisan at the time of the invention to include Reps' teaching with method of Rakoshitz, Battat, and Manghirmalani in order to provide user with ability to sample specific time intervals.

As per claim 15, Rakoshitz, Battat, Manghirmalani and Reps teach the method as in claim 14. Reps further teaches comprising: calculating data that represent the compiled records, and storing the data in a file. (see col. 14, lines 45-61)

As per claim 17, Rakoshitz, Battat, Manghirmalani, and Reps teach the method of claim 14. Reps further teaches comprising: including a time interval criterion which indicates how

Art Unit: 2174

often to compile and package information from the network information files. (see col. 14, lines 45-61)

As per claims 32, 33, and 35; 50, 51, and 53, they are rejected under the same rationale as claim 14, 15, and 17. Supra.

Claims 18, 36, and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rakoshitz US Patent 6,578,077 in view Battat US Publication 2002/0013837 in view of Manghirmalani US 5,819,028 further in view of Trcka US Patent 6,453,345.

As per claim 18, Rakoshitz, Battat, and Manghirmalani teach the method of claim 1. They fail teach further comprising:

defining the larger time interval with a starting time and an ending time specified within a filtering criteria.

Trcka (US 6,453,345) teaches defining the larger time interval with a starting time and an ending time specified within a filtering criteria. (Figure 13)

It would have been obvious to an artisan at the time of the invention to include Trcka's teaching with method of Rakoshitz, Battat, and Manghirmalani in order to provide user with ability to sample specific time intervals.

As per claims 36 and 54, they are rejected under the same rationale as claim 18. Supra.

As per claim 57, it is rejected under the same rationale as claims 1 and 18. Supra.

Art Unit: 2174

As per claim 58, Rakoshitz, Battat, Managhirmalani, and Trcka teach the method claim 57. Rakoshitz further teaches data traffic is a number of attempted log-ins. (see Rakoshitz, col. 21, lines 20-40)

As per claim 59, Rakoshitz, Battat, Managhirmalani, and Trcka teach the method claim 57. Raskoshitz further teaches the characteristic of data traffic is amount of data traffic. (see Raskoshitz, col. 21, lines 20-40)

Claims 10, 11, 28, 29, 46, and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rakoshitz US Patent 6,578,077 in view Battat US Publication 2002/0013837 in view of Manghirmalani US 5,819,028 Trcka US Patent 6,453,345 further in view of Jacoby US Patent 5,768, 552

As per claim 60, Rakoshitz, Battat, Manghirmalani, and Trcka teach the method as in claim 60. However, they fail to teach further comprising:

The extracting selects data from the network information files using a filtering expression.

Jacoby teaches The extracting selects data from the network information files using a filtering expression. (see Jacoby figure 4)

It would have been obvious to an artisan at the time of the invention to include Jacoby's teaching with method of Rakoshitz, Battat, Manghirmalani, and Trcka in order to provide user with a plurality of interface selections.

Response to Arguments

Applicant's arguments filed 7/6/09 have been fully considered but they are not persuasive.

Applicant's argument focused on the following:

Whether the combination of Rakoshitz, Battat, and Manghirmalani teaches visually indicate a value of the characteristic of data traffic between two network components with the visual appearance of a line interconnecting the two nodes representing those two network components.

Battat teaches this limitation because it displays different colors for transmission line between two network components to indicate whether the link is functioning. (see Battat, paragraph 0011)

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SIMON KE whose telephone number is (571)272-4062. The examiner can normally be reached on M-Th and Alternate Fridays 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dennis Chow can be reached on (571) 272-7767. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2174

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Peng Ke
/Peng Ke/
Primary Examiner, Art Unit 2174